EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050114568".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:50
S2	9380	(buffer memory ram short$1term) with (long$1term (hard adj2 drive) prom eeprom firmware) with stor$3 with (available busy unavailable function$3 malfunction$3 operating operational)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:55
S3	666	S2 same printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 11:56
S4	3135	710/8,15,17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:23
S5	71	S4 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:24
S6	3347	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:23
S7	78	S6 and S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:24

S8	7	S7 not S5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:24
S9	170	(buffer memory ram short$1term temporary) with (long$1term (hard adj2 drive) prom eeprom firmware) with stor$3 with (available busy unavailable function$3 malfunction$3 operating operational) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:56
S10	259	(buffer memory ram short$1term temporary) with (long$1term (hard adj2 drive) prom eeprom firmware) with stor$3 with (available busy unavailable function$3 malfunction$3 operating operational connected off) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:34
S11	4	S10 and S6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:57
S12	362	(buffer memory ram short$1term temporary) with (long$1term (hard adj2 drive) prom eeprom firmware) with stor$3 with (available busy unavailable function$3 malfunction$3 operating operational connected off) with print$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:38
S13	21	S12 same print$3 near3 (job task request file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:38
S14	18	("4872091" | "5003494" | "5047955" | "5050100" | "5159681" | "5201031" | "5241662" | "5297876" | "5345314" | "5357607" | "5408589" | "5478155" | "5524186" | "5537517" | "5548740" | "5553202" | "5563987" | "5579452").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 14:08

S15	3	printer with busy with stor$3 with drive	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 14:09
S16	20	printer with busy with stor$3 with available	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 14:09
S17	2	("6241673").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:09
S18	4	("6238344"|"6358204").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 15:45
S19	3	("6023343").URPN.	USPAT	OR	ON	2006/03/01 16:01
S20	14	("4970554" | "5101494" | "5450571" | "5467434" | "5483653" | "5559933" | "5579087" | "5580177" | "5581736" | "5619649" | "5715381" | "5790119" | "5893129" | "6023343").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:05
S21	21	("3597071" | "4503499" | "4769771" | "4821107" | "4970554" | "5021892" | "5043881" | "5047955" | "5086497" | "5113393" | "5113494" | "5126932" | "5170340" | "5175633" | "5223948" | "5276799" | "5278950" | "5307458" | "5367673" | "5436730" | "5504843").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:22
S22	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:24
S23	89	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:26

1/30/07 11:03:32 AM

Page 3

C:\Documents and Settings\DMartinez\My Documents\EAST\Workspaces\10-722914 Conditional Output to Available Peripheral device

S24	29	(memory buffer) with (hard adj2 drive) with (sav$3 stor$3) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:31
S25	106	((hard adj2 drive) long$1term permanent non$1volatile) with (sav$3 stor$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:47
S26	20	(secondary) with (sav$3 stor$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/01 16:47
S27	7	"0755021"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 10:32
S28	0	ep0755021	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 10:35
S29	142	print near3 server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 10:35
S30	117	print adj server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 10:36
S31	9	print adj server with hard adj drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:24

S32	2	"20040139265".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 14:24
S34	0	(user person operator) with cancel$4 with (job task) with ram with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:41
S35	16	(user person operator) with cancel$4 with (job task) with (memory buffer queue) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 17:41
S36	4	"6614559".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:36
S37	3604	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 17:59
S38	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:36
S39	98	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:36
S40	32	(memory buffer) with (hard adj2 drive) with (sav$3 stor$3) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:36

1/30/07 11:03:32 AM

Page 5

C:\Documents and Settings\DMartinez\My Documents\EAST\Workspaces\10-722914 Conditional Output to Available Peripheral device

S41	118	((hard adj2 drive) long$1term permanent non$1volatile) with (sav$3 stor$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:36
S42	20	(secondary) with (sav$3 stor$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/19 17:28
S43	4	S37 and S39	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:37
S44	2	S37 and S40	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:37
S45	3	S37 and S41	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/20 20:37
S46	21	(secondary) with (sav$3 stor$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/19 17:30
S47	509	(sav$3 stor$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 16:23
S48	16	("4399538"|"4458307"|"4611289" |"5371873"|"5784628"|"5845142" |"5920728"|"5971790"|"5978922" |"6304981"|"6314502"|"6314528" |"6353894"|"6487521"|"6516440" |"6694453").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/19 18:13
S49	358	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 (drive disc disk memory) with peripheral near3 (available unavailable accessible malfunction$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:28

1/30/07 11:03:32 AM

C:\Documents and Settings\DMartinez\My Documents\EAST\Workspaces\10-722914 Conditional Output to Available Peripheral device

Page 6

EAST Search History

S50	509	(sav$3 stor$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function$3 malfunction$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 16:23
S51	327	S50 and S49	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 16:25
S52	6	S50 and suspend$3 near4 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 16:27
S53	3	S50 and suspend$3 near4 (data object file information job task) near5 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 16:27
S54	1300	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 (drive disc disk memory) same peripheral near3 (available unavailable accessible malfunction$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:29
S55	3460	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:58
S56	637	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:31
S57	638	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction$3 connected off disconnect$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:31

S58	19	(sav$3 stor$3 back$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non$1volatile permanent)adj memory) same (printer peripheral) near3 (unavailable unaccessible malfunction$3 disconnect$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:58
S59	1	(sav$3 stor$3 back$4up) near2 (data object file information job task) near2 ((hard near2 (drive disc disk)) (non$1volatile permanent)adj memory) same (printer peripheral) near2 (unavailable unaccessible malfunction$3 disconnect$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 17:59
S60	1845	(sav$3 stor$3 back$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 18:22
S61	3826	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 17:59
S62	52	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/01/20 17:59
S63	11	(sav$3 stor$3 back$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 18:22
S64	17	(sav$3 stor$3 back$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 18:23
S65	20	(sav$3 stor$3 back$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present absence absent)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 18:25

S66	1	("6614559").URPN.	USPAT	OR	ON	2007/01/20 19:17
S67	1	("6694453").URPN.	USPAT	OR	ON	2007/01/20 19:18
S68	10	("4399538" | "4611289" | "5371873" | "5784628" | "5791790" | "6304981" | "6314502" | "6314528" | "6487521" | "6516440").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 20:09
S69	8	(storage near2 disk) near4 print adj data	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/20 20:09